



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

ENVIRO TESTING, A Division of KMT, LLC

Project Name: Sidney School District

Richard Tarnowski
58 Exchange Street
Binghamton, NY 13901

Project / PO Number: N/A
Received: 10/20/2016
Reported: 12/05/2016

Case Narrative

The Matrix Spike Duplicate performed on the following sample failed the precision criteria for Lead. The accuracy criteria were met by both the MS and MSD.

Laboratory ID Sample Name
16K0919-35 J6J1312-35 (HS-57)

Analytical Testing Parameters

Table with 2 columns: Parameter and Value. Includes Client Sample ID (HS-23), Sample Matrix (Drinking Water), Lab Sample ID (J6J1312-01), Collected By (rick Tarnowski), and Collection Date (10/20/2016 5:30).

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 7 columns: Metals, Result, RL, Units, Note, Prepared, Analyzed. Row for Lead: Method: EPA 200.8 Rev 5.4, Result: <0.00100, RL: 0.00100, Units: mg/L, Prepared: 11/30/16 1835, Analyzed: 12/02/16 1416.

Table with 2 columns: Parameter and Value. Includes Client Sample ID (HS-24), Sample Matrix (Drinking Water), Lab Sample ID (J6J1312-02), Collected By (rick Tarnowski), and Collection Date (10/20/2016 5:31).

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 7 columns: Metals, Result, RL, Units, Note, Prepared, Analyzed. Row for Lead: Method: EPA 200.8 Rev 5.4, Result: 0.00108, RL: 0.00100, Units: mg/L, Prepared: 11/30/16 1835, Analyzed: 12/02/16 1420.

Table with 2 columns: Parameter and Value. Includes Client Sample ID (HS-25), Sample Matrix (Drinking Water), Lab Sample ID (J6J1312-03), Collected By (rick Tarnowski), and Collection Date (10/20/2016 5:32).

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 7 columns: Metals, Result, RL, Units, Note, Prepared, Analyzed. Row for Lead: Method: EPA 200.8 Rev 5.4, Result: 0.00104, RL: 0.00100, Units: mg/L, Prepared: 11/30/16 1835, Analyzed: 12/02/16 1421.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID: HS-26	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:33
Lab Sample ID: J6J1312-04	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00125	0.00100	mg/L		11/30/16 1835	12/02/16 1422

Client Sample ID: HS-27	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:34
Lab Sample ID: J6J1312-05	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00679	0.00100	mg/L		11/30/16 1835	12/02/16 1423

Client Sample ID: HS-28	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:35
Lab Sample ID: J6J1312-06	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00672	0.00100	mg/L		11/30/16 1835	12/02/16 1427

Client Sample ID: HS-29	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:36
Lab Sample ID: J6J1312-07	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00697	0.00100	mg/L		11/30/16 1835	12/02/16 1428

Client Sample ID: HS-30	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:37
Lab Sample ID: J6J1312-08	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.0110	0.00100	mg/L		11/30/16 1835	12/02/16 1429



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID:	HS-31	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:38
Lab Sample ID:	J6J1312-09		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.0127	0.00100	mg/L		11/30/16 1835	12/02/16 1430

Client Sample ID:	HS-32	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:39
Lab Sample ID:	J6J1312-10		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00990	0.00100	mg/L		11/30/16 1835	12/02/16 1434

Client Sample ID:	HS-33	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:40
Lab Sample ID:	J6J1312-11		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00163	0.00100	mg/L		11/30/16 1835	12/02/16 1435

Client Sample ID:	HS-34	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:41
Lab Sample ID:	J6J1312-12		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.0123	0.00100	mg/L		11/30/16 1835	12/02/16 1436

Client Sample ID:	HS-35	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:42
Lab Sample ID:	J6J1312-13		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.0134	0.00100	mg/L		11/30/16 1835	12/02/16 1437



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID:	HS-36	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:43
Lab Sample ID:	J6J1312-14		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.0118	0.00100	mg/L		11/30/16 1835	12/02/16 1438

Client Sample ID:	HS-37	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:44
Lab Sample ID:	J6J1312-15		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.0105	0.00100	mg/L		11/30/16 1835	12/02/16 1440

Client Sample ID:	HS-38	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:45
Lab Sample ID:	J6J1312-16		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00375	0.00100	mg/L		11/30/16 1835	12/02/16 1443

Client Sample ID:	HS-39	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:46
Lab Sample ID:	J6J1312-17		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.0129	0.00100	mg/L		11/30/16 1835	12/02/16 1444

Client Sample ID:	HS-40	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:47
Lab Sample ID:	J6J1312-18		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1448



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID:	HS-41	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:48
Lab Sample ID:	J6J1312-19		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00216	0.00100	mg/L		11/30/16 1835	12/02/16 1449

Client Sample ID:	HS-42	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:49
Lab Sample ID:	J6J1312-20		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1450

Client Sample ID:	HS-43	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:50
Lab Sample ID:	J6J1312-21		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1451

Client Sample ID:	HS-44	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:51
Lab Sample ID:	J6J1312-22		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1452

Client Sample ID:	HS-45	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:52
Lab Sample ID:	J6J1312-23		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00237	0.00100	mg/L		11/30/16 1835	12/02/16 1454



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID: HS-46	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:33
Lab Sample ID: J6J1312-24	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00106	0.00100	mg/L		11/30/16 1835	12/02/16 1455

Client Sample ID: HS-47	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:34
Lab Sample ID: J6J1312-25	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1456

Client Sample ID: HS-48	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:35
Lab Sample ID: J6J1312-26	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1502

Client Sample ID: HS-49	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:36
Lab Sample ID: J6J1312-27	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1503

Client Sample ID: HS-50	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:37
Lab Sample ID: J6J1312-28	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1504



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

<b>Client Sample ID:</b> HS-51	<b>Collected By:</b> rick Tarnowski
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 10/20/2016 5:38
<b>Lab Sample ID:</b> J6J1312-29	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
<b>Method: EPA 200.8 Rev 5.4</b>						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1505

<b>Client Sample ID:</b> HS-52	<b>Collected By:</b> rick Tarnowski
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 10/20/2016 5:39
<b>Lab Sample ID:</b> J6J1312-30	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
<b>Method: EPA 200.8 Rev 5.4</b>						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1506

<b>Client Sample ID:</b> HS-53	<b>Collected By:</b> rick Tarnowski
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 10/20/2016 5:40
<b>Lab Sample ID:</b> J6J1312-31	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
<b>Method: EPA 200.8 Rev 5.4</b>						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1508

<b>Client Sample ID:</b> HS-54	<b>Collected By:</b> rick Tarnowski
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 10/20/2016 5:41
<b>Lab Sample ID:</b> J6J1312-32	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
<b>Method: EPA 200.8 Rev 5.4</b>						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1509

<b>Client Sample ID:</b> HS-55	<b>Collected By:</b> rick Tarnowski
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 10/20/2016 5:42
<b>Lab Sample ID:</b> J6J1312-33	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
<b>Method: EPA 200.8 Rev 5.4</b>						
Lead	0.00258	0.00100	mg/L		11/30/16 1835	12/02/16 1510



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID: HS-56	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:43
Lab Sample ID: J6J1312-34	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1511

Client Sample ID: HS-57	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:44
Lab Sample ID: J6J1312-35	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1512

Client Sample ID: HS-58	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:45
Lab Sample ID: J6J1312-36	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00191	0.00100	mg/L		11/30/16 1835	12/02/16 1518

Client Sample ID: HS-59	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:46
Lab Sample ID: J6J1312-37	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1519

Client Sample ID: HS-60	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:47
Lab Sample ID: J6J1312-38	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00109	0.00100	mg/L		11/30/16 1835	12/02/16 1521





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID: HS-61	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:48
Lab Sample ID: J6J1312-39	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1522

Client Sample ID: HS-62	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:49
Lab Sample ID: J6J1312-40	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00121	0.00100	mg/L		11/30/16 1835	12/02/16 1523

Client Sample ID: HS-63	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:50
Lab Sample ID: J6J1312-41	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1524

Client Sample ID: HS-64	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:51
Lab Sample ID: J6J1312-42	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1525

Client Sample ID: HS-65	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:52
Lab Sample ID: J6J1312-43	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1527



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID: HS-66	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:53
Lab Sample ID: J6J1312-44	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00109	0.00100	mg/L		11/30/16 1835	12/02/16 1530

Client Sample ID: HS-67	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:54
Lab Sample ID: J6J1312-45	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00638	0.00100	mg/L		11/30/16 1835	12/02/16 1531

Client Sample ID: HS-68	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:55
Lab Sample ID: J6J1312-46	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1535

Client Sample ID: HS-69	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:56
Lab Sample ID: J6J1312-47	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00202	0.00100	mg/L		11/30/16 1835	12/02/16 1536

Client Sample ID: HS-70	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 5:57
Lab Sample ID: J6J1312-48	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1537



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID:	HS-71	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:58
Lab Sample ID:	J6J1312-49		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.0112	0.00100	mg/L		11/30/16 1835	12/02/16 1538

Client Sample ID:	HS-72	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 5:59
Lab Sample ID:	J6J1312-50		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00147	0.00100	mg/L		11/30/16 1835	12/02/16 1540

Client Sample ID:	HS-73	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 6:00
Lab Sample ID:	J6J1312-51		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00414	0.00100	mg/L		11/30/16 1835	12/02/16 1541

Client Sample ID:	HS-74	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 6:01
Lab Sample ID:	J6J1312-52		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00185	0.00100	mg/L		11/30/16 1835	12/02/16 1544

Client Sample ID:	HS-75	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 6:02
Lab Sample ID:	J6J1312-53		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1546



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID: HS-76	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:03
Lab Sample ID: J6J1312-54	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1547

Client Sample ID: HS-77	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:04
Lab Sample ID: J6J1312-55	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1548

Client Sample ID: HS-78	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:05
Lab Sample ID: J6J1312-56	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00201	0.00100	mg/L		11/30/16 1835	12/02/16 1552

Client Sample ID: HS-79	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:06
Lab Sample ID: J6J1312-57	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1553

Client Sample ID: HS-80	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:07
Lab Sample ID: J6J1312-58	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1554



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID: HS-81	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:08
Lab Sample ID: J6J1312-59	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1555

Client Sample ID: HS-82	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:09
Lab Sample ID: J6J1312-60	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00303	0.00100	mg/L		11/30/16 1835	12/02/16 1559

Client Sample ID: HS-83	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:10
Lab Sample ID: J6J1312-61	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1600

Client Sample ID: HS-84	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:11
Lab Sample ID: J6J1312-62	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1601

Client Sample ID: HS-85	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:12
Lab Sample ID: J6J1312-63	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1603



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID: HS-86	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:13
Lab Sample ID: J6J1312-64	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1604

Client Sample ID: HS-87	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:14
Lab Sample ID: J6J1312-65	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00208	0.00100	mg/L		11/30/16 1835	12/02/16 1605

Client Sample ID: HS-88	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:15
Lab Sample ID: J6J1312-66	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00133	0.00100	mg/L		11/30/16 1835	12/02/16 1609

Client Sample ID: HS-89	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:16
Lab Sample ID: J6J1312-67	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00175	0.00100	mg/L		11/30/16 1835	12/02/16 1610

Client Sample ID: HS-90	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:17
Lab Sample ID: J6J1312-68	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00170	0.00100	mg/L		11/30/16 1835	12/02/16 1613



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID:	HS-91	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 6:18
Lab Sample ID:	J6J1312-69		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.0720	0.00100	mg/L		11/30/16 1835	12/02/16 1615

Client Sample ID:	HS-92	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 6:19
Lab Sample ID:	J6J1312-70		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00144	0.00100	mg/L		11/30/16 1835	12/02/16 1616

Client Sample ID:	HS-93	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 6:20
Lab Sample ID:	J6J1312-71		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1617

Client Sample ID:	HS-94	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 6:21
Lab Sample ID:	J6J1312-72		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1618

Client Sample ID:	HS-95	Collected By:	rick Tarnowski
Sample Matrix:	Drinking Water	Collection Date:	10/20/2016 6:22
Lab Sample ID:	J6J1312-73		

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00322	0.00100	mg/L		11/30/16 1835	12/02/16 1619



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

Client Sample ID: HS-96	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:23
Lab Sample ID: J6J1312-74	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1621

Client Sample ID: HS-97	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:25
Lab Sample ID: J6J1312-75	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00182	0.00100	mg/L		11/30/16 1835	12/02/16 1622

Client Sample ID: HS-98	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:25
Lab Sample ID: J6J1312-76	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1628

Client Sample ID: HS-99	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:26
Lab Sample ID: J6J1312-77	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	0.00288	0.00100	mg/L		11/30/16 1835	12/02/16 1629

Client Sample ID: HS-100	Collected By: rick Tarnowski
Sample Matrix: Drinking Water	Collection Date: 10/20/2016 6:27
Lab Sample ID: J6J1312-78	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1630





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

<b>Client Sample ID:</b> HS-101	<b>Collected By:</b> rick Tarnowski
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 10/20/2016 6:28
<b>Lab Sample ID:</b> J6J1312-79	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
<b>Method: EPA 200.8 Rev 5.4</b>						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1632

<b>Client Sample ID:</b> HS-102	<b>Collected By:</b> rick Tarnowski
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 10/20/2016 6:29
<b>Lab Sample ID:</b> J6J1312-80	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
<b>Method: EPA 200.8 Rev 5.4</b>						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1633

<b>Client Sample ID:</b> HS-103	<b>Collected By:</b> rick Tarnowski
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 10/20/2016 6:30
<b>Lab Sample ID:</b> J6J1312-81	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	RL	Units	Note	Prepared	Analyzed
<b>Method: EPA 200.8 Rev 5.4</b>						
Lead	<0.00100	0.00100	mg/L		11/30/16 1835	12/02/16 1634

Laboratory

NY: Microbac Laboratories, Inc., New York Division

Definitions

AL: Action Level  
RL: Reporting Limit

Project Requested Certification(s)

Microbac Laboratories, Inc. - Chicagoland  
NY Lab ID No: 12006  
PA DEP ID: 68-04863

New York State Department of Health  
Pennsylvania Department of Environmental Protection



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1312

**Report Comments**

*Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.*

*The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included.*

**Reviewed and Approved By:**

A handwritten signature in black ink, appearing to read "Andrew Canale", is written over a light gray rectangular background.

Andrew Canale  
Project Manager  
andrew.canale@microbac.com  
12/05/2016 21:24

3821 Buck Drive  
 Corland NY 13045  
 Phone:(607)753-3403 Fax:(607)753-3415  
 NY # 10795, EPA #NY00835

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

V/11

J6J1312

Client Information		Billing/Invoice:		Analysis Requested				Receiving Info (Lab Use Only)	
Name:	ENVIRO TESTING ( KMT,LLC)	Name:	Same					Ice:	YES NO
Address:	58 Exchange Street Binghamton, NY 13901							Cooler:	YES NO
Contact:	Rick Tarnowski		Theresa Stodki					Sample Temp:	YES NO
Phone:	(607) 770-9098							Cooler Seal:	YES NO
Project:	Sidney Central School District							Pickup:	YES NO
Quote ID:		PO#:	429,04316					Dropoff:	C W
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date Req.:						Accepted?	YES
Carbon Copy: Yes Ctarnowski@kecompanies.com								Container Material	
Email Results: Yes Rtarnowski@kecompanies.com								Container Size (in MI)	
Fax Results: Yes 607-729-5154								Preservative	
Sample Information				Number of Containers for Analysis Requested				Comments/Field	
Description/Location	Date	Time	Initial	Matrix	Type				
1 HS-23	10/20/2016	5:30 <sup>AM</sup>	RJT	DW	Grab	1			PS
2 HS-24	10/20/2016	5:31	RJT	DW	Grab	1			PS
3 HS-25	10/20/2016	5:32	RJT	DW	Grab	1			PS
4 HS-26	10/20/2016	5:33	RJT	DW	Grab	1			PS
5 HS-27	10/20/2016	5:34	RJT	DW	Grab	1			PS
6 HS-28	10/20/2016	5:35	RJT	DW	Grab	1			PS
7 HS-29	10/20/2016	5:36	RJT	DW	Grab	1			PS
8 HS-30	10/20/2016	5:37	RJT	DW	Grab	1			PS

  

Sampled:	Christian Tarnowski - Keystone/ Envirotesting	Signature:		Date/Time:	10/20/16 8:00	Comments:	SCSD = Sidney Central School District HS= High School PS=Potable Sink
Received:		Received:		Received:			

By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

# Microbac Laboratories, Inc. **CHAIN OF CUSTODY**

2/11

Client Information		Billing/Invoice:		Analysis Requested				Receiving Info (Lab Use Only)	
Name:	ENVIRO TESTING ( KMT,LLC)	Name:	Same					Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Address:	58 Exchange Street Binghamton, NY 13901							Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Contact:	Rick Tarnowski		Theresa Slodki					Sample Temp:	YES <input type="checkbox"/> NO <input type="checkbox"/>
Phone:	(607) 770-9098							Cooler Seal:	YES <input type="checkbox"/> NO <input type="checkbox"/>
Project:	Sidney Central School District							Pickup:	YES <input type="checkbox"/> NO <input type="checkbox"/>
Quote ID:		PO#:	429,04316					Dropoff:	C <input type="checkbox"/> W <input type="checkbox"/>
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:						Accepted?	YES <input type="checkbox"/> NO <input type="checkbox"/>
Carbon Copy:	Yes C.tarnowski@kecompanies.com							Container Material	
Email Results:	Yes R.tarnowski@kecompanies.com							Container Size:(in MI)	
Fax Results:	Yes 607-729-5154							Preservative	
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data	
Description/Location	Date	Time	Initial	Matrix	Type	DW	Grab	Comments/Field Data	
1 HS-31	10/20/2016	5:38	RJT	I	DW			PS	
2 HS-32	10/20/2016	5:39	RJT	I	Grab			PS	
3 HS-33	10/20/2016	5:40	RJT	I	DW			PS	
4 HS-34	10/20/2016	5:41	RJT	I	Grab			PS	
5 HS-35	10/20/2016	5:42	RJT	I	DW			PS	
6 HS-36	10/20/2016	5:43	RJT	I	Grab			PS	
7 HS-37	10/20/2016	5:44	RJT	I	DW			PS	
8 HS-38	10/20/2016	5:45	RJT	I	Grab			PS	
Total Lead (EPA 200.8)									
Plastic									
250 ml									
IINO3									
Signature				Date/Time		Comments			
Print Name and Company				Signature		SCSD = Sidney Central School District			
Sampled: Christian Tarnowski - Keystone/ Envirotesting				10/20/16 8:00		HS= High School			
Received: D Brecheh				10-20-16 / 1530		PS=Potable Sink			
Received:									
Received:									

By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive  
 Cortland NY 13045  
 Phone: (607)753-3403 Fax: (607)753-3415  
 NY #10795, EPA #NY00835

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

3/11

Client Information		Billing/Invoice:		Analysis Requested				Receiving Info (Lab Use Only)	
Name:	ENVIRO TESTING ( KMT,LLC)	Name:	Same					Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Address:	58 Exchange Street Binghamton, NY 13901							Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Contact:	Rick Tarnowski		Theresa Slodki					Sample Temp:	YES <input type="checkbox"/> NO <input type="checkbox"/>
Phone:	(607) 770-9098							Cooler Seal:	YES <input type="checkbox"/> NO <input type="checkbox"/>
Project:	Sidney Central School District							Pickup:	YES <input type="checkbox"/> NO <input type="checkbox"/>
Quote ID:		PO#:	429.04316					Dropoff:	C <input type="checkbox"/> W <input type="checkbox"/>
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:						Accepted?	YES <input type="checkbox"/> NO <input type="checkbox"/>
Carbon Copy:	Yes	ctarnowski@kecompanies.com						Container Material	
Email Results:	Yes	rtarnowski@kecompanies.com						Container Size(in MI)	
Fax Results:	Yes	607-729-5154						Preservative	
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data	
Description/Location	Date	Time	Initial	Matrix	Type				
1: HS-39	10/20/2016	5:46 AM	RJT	DW	Grab	1			PS
2: HS-40	10/20/2016	5:47	RJT	DW	Grab	1			PS
3: HS-41	10/20/2016	5:48	RJT	DW	Grab	1			PS
4: HS-42	10/20/2016	5:49	RJT	DW	Grab	1			PS
5: HS-43	10/20/2016	5:50	RJT	DW	Grab	1			PS
6: HS-44	10/20/2016	5:51	RJT	DW	Grab	1			PS
7: HS-45	10/20/2016	5:52	RJT	DW	Grab	1			PS
8: HS-46	10/20/2016	5:53	RJT	DW	Grab	1			PS
Total Lead (EPA 200.8)				Plastic					
				250 ml					
				HNO3					
Print Name and Company				Signature				Date/Time	
Sampled: Christian Tarnowski - Keystone/ Envirotesting								10/20/16 8:00	
Received: D. B. Kechele								10-20-16 / 1530	
Received:									
Received:									
								Comments	
								SCSD = Sidney Central School District HS= High School PS=Potable Sink	

By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive  
 Corland NY 13045  
 Phone:(607)753-3403 Fax:(607)753-3415  
 NY #10795, EPA #NY00835

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

4/11

Client Information		Billing/Invoice:		Analysis Requested				Receiving Info (Lab Use Only)	
Name:	ENVIRO TESTING (KMT,LLC)	Same						Ice:	YES NO
Address:	58 Exchange Street Binghamton, NY 13901	Theresa Slodki						Cooler:	YES NO
Contact:	Rick Tarnowski							Sample Temp:	YES NO
Phone:	(607) 770-9098							Cooler Seal:	YES NO
Project:	Sidney Central School District							Pickup:	YES NO
Quote ID:		PO#:	429,04316					Dropoff:	C W
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:						Accepted?	YES NO
Carbon Copy:	Yes	Ctarnowski@kecompanies.com						Container Material	
Email Results:	Yes	Rtarnowski@kecompanies.com						Container Size(In MI)	
Fax Results:	Yes	607-729-5154						Preservative	
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data	
Description/Location	Date	Time	Initial	Type	Matrix				
1 HS-47	10/20/2016	5:34 AM	RJT	DW	1			PS	
2 HS-48	10/20/2016	5:35	RJT	Grab	1			PS	
3 HS-49	10/20/2016	5:36	RJT	DW	1			PS	
4 HS-50	10/20/2016	5:37	RJT	Grab	1			PS	
5 HS-51	10/20/2016	5:38	RJT	DW	1			PS	
6 HS-52	10/20/2016	5:39	RJT	Grab	1			PS	
7 HS-53	10/20/2016	5:40	RJT	DW	1			PS	
8 HS-54	10/20/2016	5:41	RJT	Grab	1			PS	
Total Lead (EPA 200.8)									
Plastic									
250 ml									
HNO3									

  

Print Name and Company	Signature	Date/Time
Sampled: Christian Tarnowski - Keystone/ Envirotesting		10/20/16 8:00
Received: D Bicchiale		10-20-16 / 1530
Received:		
Received:		

  

Comments
SCSD = Sidney Central School District HS= High School PS=Potable Sink

By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive  
 Cortland NY 13045  
 Phone:(607)753-3403 Fax:(607)753-3415  
 NY #10795, EPA #NY00935

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

5/11

Client Information		Billing/Invoice:		Analysis Requested				Receiving Info (t-lab Use Only)	
Name: ENVIRO TESTING (KMT,LLC)		Same						Ice: YES NO	YES NO
Address: 58 Exchange Street Binghamton, NY 13901								Cooler: YES NO	YES NO
Contact: Rick Tarnowski Theresa Stodki								Sample Temp:	YES NO
Phone: (607) 770-9098								Cooler Seal: YES NO	YES NO
Project: Sidney Central School District								Pickup: YES NO	YES NO
Quote ID: PO#: 429,04316								Dropoff: C W	C W
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date Req.:						Accepted? YES NO	YES NO
Carbon Copy: Yes Ctarnowski@kecompanies.com								Container Material	
Email Results: Yes Rtarnowski@kecompanies.com								Container Size(n Mt)	
Fax Results: Yes 607-729-5154								Preservative	
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data	
Description/Location	Date	Time	Initial	Matrix Type					
1 HS-55	10/20/2016	5:42	RJT	DW	Grab	1		PS	
2 HS-56	10/20/2016	5:43	RJT	DW	Grab	1		PS	
3 HS-57	10/20/2016	5:44	RJT	DW	Grab	1		PS	
4 HS-58	10/20/2016	5:45	RJT	DW	Grab	1		PS	
5 HS-59	10/20/2016	5:46	RJT	DW	Grab	1		PS	
6 HS-60	10/20/2016	5:47	RJT	DW	Grab	1		PS	
7 HS-61	10/20/2016	5:48	RJT	DW	Grab	1		PS	
8 HS-62	10/20/2016	5:44	RJT	DW	Grab	1		PS	
Print Name and Company				Signature		Date/Time		Comments	
Sampled: Christian Tarnowski - Keystone/ Envirotesting						10/20/16 8:00		SCSD = Sidney Central School District	
Received: D Bielech						10-20-16/1530		HS= High School	
Received:								PS=Potable Sink	
Received:									

By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive  
 Cortland NY 13045  
 Phone: (607)753-3403 Fax: (607)753-3415  
 NY #10795, EPA #NY000935

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

6/11

Client Information		Billing/Invoice:		Analysis Requested				Receiving Info (Lab Use Only)	
Name:	ENVIRO TESTING (KMT, LLC)	Name:						Ice:	YES NO
Address:	58 Exchange Street							Cooler:	YES NO
Contact:	Binghamton, NY 13901							Sample Temp:	
Phone:	Rick Tarnowski	Theresa Slodki						Cooler Seal:	YES NO
Project:	(607) 770-9098							Pickup:	YES NO
Quote ID:	Sidney Central School District							Dropoff:	C W
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:						Accepted?	YES NO
Carbon Copy:	Yes Ctarnowski@kecompanies.com	PO#:	429.04316					Container Material	
Email Results:	Yes Rtarnowski@kecompanies.com							Container Size (in Mi)	
Fax Results:	Yes 607-729-5154							Preservative	
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data	
Description/Location	Date	Time	Initial	Matrix	Type				
1 HS-63	10/20/2016	5:00	RJT	DW	Grab	1			PS
2 HS-64	10/20/2016	5:51	RJT	DW	Grab	1			PS
3 HS-65	10/20/2016	5:52	RJT	DW	Grab	1			PS
4 HS-66	10/20/2016	5:53	RJT	DW	Grab	1			PS
5 HS-67	10/20/2016	5:54	RJT	DW	Grab	1			PS
6 HS-68	10/20/2016	5:55	RJT	DW	Grab	1			PS
7 HS-69	10/20/2016	5:56	RJT	DW	Grab	1			PS
8 HS-70	10/20/2016	5:57	RJT	DW	Grab	1			PS
Print Name and Company				Signature		Date/Time		Comments	
Sampled: Christian Tarnowski - Keystone/ Envirotesting						10/20/16 9:00		SCSD = Sidney Central School District	
Received:						10-20-16/1530		HS= High School	
Received:								PS=Potable Sink	
Received:									

By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.



3821 Buck Drive  
 Cortland NY 13045  
 Phone:(607)753-3403 Fax:(607)753-3415  
 NY #10796, EPA #NY00835

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

7/11

Client Information		Billing/Invoice:	
Name:	ENVIRO TESTING (KMT,LLC)	Same	
Address:	58 Exchange Street Binghamton, NY 13901	Theresa Slodki	
Contact:	Rick Tarnowski (607) 770-9098		
Project:	Sidney Central School District		
Quote ID:		PO#:	429.04316
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:	
Carbon Copy:	Yes Ctarnowski@kecompanies.com		
Email Results:	Yes Rtarnowski@kecompanies.com		
Fax Results:	Yes 607-729-5154		

  

Sample Information				Matrix	
Description/Location	Date	Time	Initial	Type	
1. HS-71	10/20/2016	5:30 <sup>EMT</sup>	RJT	DW	1
				Grab	
2. HS-72	10/20/2016	5:59	RJT	DW	1
				Grab	
3. HS-73	10/20/2016	6:00	RJT	DW	1
				Grab	
4. HS-74	10/20/2016	6:01	RJT	DW	1
				Grab	
5. HS-75	10/20/2016	6:02	RJT	DW	1
				Grab	
6. HS-76	10/20/2016	6:03	RJT	DW	1
				Grab	
7. HS-77	10/20/2016	6:04	RJT	DW	1
				Grab	
8. HS-78	10/20/2016	6:05	RJT	DW	1
				Grab	

  

Analysis Requested		Comments/Field Data	
Number of Containers for Analysis Requested			
		PS	
		PS	
		PS	
		PS	
		PS	
		PS	
		PS	
		PS	

  

Receiving Info (Lab Use Only)	
Ice:	YES NO
Cooler:	YES NO
Sample Temp:	
Cooler Seal:	YES NO
Pickup:	YES NO
Dropoff:	C W
Accepted?	YES NO
Container Material	
Container Size(in Ml)	
Preservative	

  

Print Name and Company	Signature	Date/Time	Comments
Sampled: Christian Tarnowski - Keystone/ Envirotesting		10/20/16 9:00	SCSD = Sidney Central School District
Received: DBiechela		10-20-16/1530	HS= High School
Received:			PS=Potable Sink
Received:			

By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive  
 Corland NY 13045  
 Phone:(607)753-3403 Fax:(607)753-3415  
 NY #10795, EPA #NY00895

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

5/11

Client Information		Billing/Invoice:		Analysis Requested				Receiving Info (Lab Use <i>MNY</i> )			
Name:	ENVIRO TESTING (KMT, LLC)	Name:	Same					Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Address:	58 Exchange Street Binghamton, NY 13901							Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
Contact:	Rick Tarnowski		Theresa Slodki					Sample Temp:	YES <input type="checkbox"/> NO <input type="checkbox"/>		
Phone:	(607) 770-9098							Cooler Seal:	YES <input type="checkbox"/> NO <input type="checkbox"/>		
Project:	Sidney Central School District							Pickup:	YES <input type="checkbox"/> NO <input type="checkbox"/>		
Quote ID:		PO#:	429,043,16					Dropoff:	C <input type="checkbox"/> W <input type="checkbox"/>		
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:						Accepted?	YES <input type="checkbox"/> NO <input type="checkbox"/>		
Carbon Copy:	Yes	Email Results: Yes		Rtarnowski@kecompanies.com		Container Material		Container Size (in Mil)			
Fax Results:	Yes	607-729-5154		Rtarnowski@kecompanies.com		Preservative					
Sample Information											
Description/Location	Date	Time	Initial	Matrix		Number of Containers for Analysis Requested				Comments/Field Data	
				Type	Grab						
1 HS-79	10/20/2016	6:06 PM	RJT	DW	Grab	1					PS
2 HS-80	10/20/2016	6:07	RJT	DW	Grab	1					PS
3 HS-81	10/20/2016	6:08	RJT	DW	Grab	1					PS
4 HS-82	10/20/2016	6:09	RJT	DW	Grab	1					PS
5 HS-83	10/20/2016	6:10	RJT	DW	Grab	1					PS
6 HS-84	10/20/2016	6:11	RJT	DW	Grab	1					PS
7 HS-85	10/20/2016	6:12	RJT	DW	Grab	1					PS
8 HS-86	10/20/2016	6:13	RJT	DW	Grab	1					PS
Print Name and Company				Signature		Date/Time		Comments			
Sampled: Christian Tarnowski - Keystone/ Envirotesting						10/20/16 8:00		SCSD = Sidney Central School District HS= High School PS=Potable Sink			
Received: D. Biechle						10-20-16/1530					
Received:											
Received:											

By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive  
 Cortland NY 13045  
 Phone:(607)753-3403 Fax:(607)753-3415  
 NY #10795, EPA #NY00835

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

9/11

Client Information		Billing/Invoice:		Analysis Requested				Receiving Info (Lab Use Only)	
Name:	ENVIRO TESTING (KMT,LLC)	Name:	Same					Ice:	YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>
Address:	58 Exchange Street Binghamton, NY 13901							Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Contact:	Riek Tarnowski		Theresa Slodki					Sample Temp:	
Phone:	(607) 770-9098							Cooler Seal:	YES <input type="checkbox"/> NO <input type="checkbox"/>
Project:	Sidney Central School District							Pickup:	YES <input type="checkbox"/> NO <input type="checkbox"/>
Quote ID:		PO#:	429.04316					Dropoff:	C <input type="checkbox"/> W <input type="checkbox"/>
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date Req.:						Accepted?	YES <input type="checkbox"/> NO <input type="checkbox"/>
Carbon Copy:	Yes	Ctarnowski@kecompanies.com						Container Material	
Email Results:	Yes	Rtarnowski@kecompanies.com						Container Size(in Ml)	
Fax Results:	Yes	607-729-5154						Preservative	
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data	
Description/Location	Date	Time	Initial	Matrix	Type				
1 HS-87	10/20/2016	6:14	RJT	I	DW				PS
2 HS-88	10/20/2016	6:15	RJT	I	Grab				PS
3 HS-89	10/20/2016	6:16	RJT	I	DW				PS
4 HS-90	10/20/2016	6:17	RJT	I	Grab				PS
5 HS-91	10/20/2016	6:18	RJT	I	DW				PS
6 HS-92	10/20/2016	6:19	RJT	I	Grab				PS
7 HS-93	10/20/2016	6:20	RJT	I	DW				PS
8 HS-94	10/20/2016	6:21	RJT	I	Grab				PS
Print Name and Company				Signature		Date/Time		Comments	
Sampled: Christian Tarnowski - Keystone/ Enviroteesting						10/20/16 8:12		SCSD = Sidney Central School District	
Received: DB. Beckhole						10-20-16/ 1535		HS= High School	
Received:								PS=Potable Sink	
Received:									

By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive  
 Cortland NY 13045  
 Phone: (607)753-3403 Fax: (607)753-3415  
 NY #10795, EPA #NY00935

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

10/11

Client Information		Billing/Invoicing:		Analysis Requested				Receiving Info (Lab Use Only)	
Name:	ENVIRO TESTING ( KMT,LLC)	Same						Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Address:	58 Exchange Street Binghamton, NY 13901	Theresa Stodki						Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Contact:	Rick Tarnowski							Sample Temp:	YES <input type="checkbox"/> NO <input type="checkbox"/>
Phone:	(607) 770-9098							Cooler Seal:	YES <input type="checkbox"/> NO <input type="checkbox"/>
Project:	Sidney Central School District							Pickup:	YES <input type="checkbox"/> NO <input type="checkbox"/>
Quote ID:		PO#:	429.04316					Dropoff:	C <input type="checkbox"/> W <input type="checkbox"/>
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date Req.:						Accepted?	YES <input type="checkbox"/> NO <input type="checkbox"/>
Carbon Copy: Yes		Ctarnowski@kecompanies.com						Container Material	
Email Results: Yes		Rtarnowski@kecompanies.com						Container Size(In Mt)	
Fax Results: Yes		607-729-5154						Preservative	
Sample Information				Number of Containers for Analysis Requested				Comments/Field Data	
Description/Location	Date	Time	Initial	Type	DW	Grab	DW	Grab	Comments/Field Data
1 HS-95	10/20/2016	6:22	RJT	DW	1				PS
2 HS-96	10/20/2016	6:23	RJT	DW	1				PS
3 HS-97	10/20/2016	6:24	RJT	DW	1				PS
4 HS-98	10/20/2016	6:25	RJT	DW	1				PS
5 HS-99	10/20/2016	6:26	RJT	DW	1				PS
6 HS-100	10/20/2016	6:27	RJT	DW	1				PS
7 HS-101	10/20/2016	6:28	RJT	DW	1				PS
8 HS-102	10/20/2016	6:29	RJT	DW	1				PS
Total Lead (EPA 200.8)				Plastic					
				250 ml					
				HNO3					
Print Name and Company		Signature		Date/Time		Comments			
Sampled: Christian Tarnowski - Keystone/ Enviroteesting				10/20/16 8:00		SCSD = Sidney Central School District			
Received: D. Biechele				10-20-16/1535		HS= High School			
Received:						PS=Potable Sink			
Received:									

By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive  
 Cortland NY 13045  
 Phone:(607)753-3403 Fax:(607)753-3415  
 NY #10795, EPA #NY00835

# Microbac Laboratories, Inc.

## CHAIN OF CUSTODY

Client Information		Billing/Invoice:		Analysis Requested				Receiving Info (Lab Use Only)	
Name:	ENVIRO TESTING (KMT,LLC)	Same						Ice:	YES NO
Address:	58 Exchange Street Binghamton, NY 13901	Theresa Stodki						Cooler:	YES NO
Contact:	Rick Tarnowski							Sample Temp:	
Phone:	(607) 770-9098							Cooler Seal:	YES NO
Project:	Sidney Central School District							Pickup:	YES NO
Quote ID:		PO#:	429.04316					Dropoff:	C W
Rush TAT Bus. Days:	< 2-5 5-7 7-10	Date Req.:						Accepted?	YES NO
Carbon Copy:	Yes Ctarnowski@kecompanies.com							Container Material	
Email Results:	Yes Rtarnowski@kecompanies.com							Container Size(in MI)	
Fax Results:	Yes 607-729-5154							Preservative	
Sample Information			Number of Containers for Analysis Requested				Comments/Field Data		
Description/Location	Date	Time	Initial	Matrix Type					
1 HS-103	10/20/2016	6:30	RJT	DW					
2				Grab					PS
3									
4									
5									
6									
7									
8									
Print Name and Company			Signature		Date/Time		Comments		
Sampled: Christian Tarnowski - Keystone/ Envirotesting					10/20/16 8:00		SCSD = Sidney Central School District		
Received: <i>DBiechelle</i>					10-20-16 1535		HS= High School		
Received:							PS=Potable Sink		
Received:									

By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.