MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

ENVIRO TESTING, A Division of KMT, LLC

Richard Tarnowski
58 Exchange Street
Binghamton, NY 13901

Project Name: Sidney School District

Project / PO Number: N/A
Received: 09/28/2016 14:01
Reported: 12/19/2016 18:14

Analytical Testing Parameters

Client Sample ID:	ES-08	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-01	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:34

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00105**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2309

Analytical Testing Parameters

Client Sample ID:	ES-09	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-02	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:35

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2309

Analytical Testing Parameters

Client Sample ID:	ES-10	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-03	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:36

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00104**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2311

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	ES-11	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-04	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:37

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2312

Analytical Testing Parameters

Client Sample ID:	ES-12	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-05	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:38

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/13/16 1825

Analytical Testing Parameters

Client Sample ID:	ES-13	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-06	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:39

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00517**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2315

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	ES-14	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-07	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:40

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00206**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2315

Analytical Testing Parameters

Client Sample ID:	ES-15	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-08	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:41

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2316

Analytical Testing Parameters

Client Sample ID:	ES-16	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-09	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:42

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2317

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	ES-17	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-10	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:43

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2317

Analytical Testing Parameters

Client Sample ID:	ES-18	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-11	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:44

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2319

Analytical Testing Parameters

Client Sample ID:	ES-19	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-12	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:45

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2320

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	ES-20	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-13	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:46

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2321

Analytical Testing Parameters

Client Sample ID:	ES-21	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-14	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:47

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2321

Analytical Testing Parameters

Client Sample ID:	ES-22	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-15	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:48

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2322

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	ES-23	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-16	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:49

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2324

Analytical Testing Parameters

Client Sample ID:	ES-24	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-17	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:50

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2325

Analytical Testing Parameters

Client Sample ID:	ES-25	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-18	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:51

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2325

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	**ES-26**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-19**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:52

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2327

Analytical Testing Parameters

Client Sample ID:	**ES-27**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-20**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:53

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2328

Analytical Testing Parameters

Client Sample ID:	**ES-28**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-21**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:54

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00175**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2329

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	ES-29	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-22	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:55

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00160**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2329

Analytical Testing Parameters

Client Sample ID:	ES-30	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-23	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:56

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2330

Analytical Testing Parameters

Client Sample ID:	ES-31	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-24	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:57

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00203**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2331

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	ES-32	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-25	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:58

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2331

Analytical Testing Parameters

Client Sample ID:	ES-33	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-26	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:59

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2333

Analytical Testing Parameters

Client Sample ID:	ES-34	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-27	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00112**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2335

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	ES-35	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-28	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	07:01

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2336

Analytical Testing Parameters

Client Sample ID:	ES-36	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-29	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	07:02

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2337

Analytical Testing Parameters

Client Sample ID:	ES-37	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-30	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	07:03

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2337

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	ES-38	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-31	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	07:04

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2338

Analytical Testing Parameters

Client Sample ID:	MS-16	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-32	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00334**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2339

Analytical Testing Parameters

Client Sample ID:	MS-17	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-33	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:01

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00301**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2339

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	**MS-18**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-34**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:02

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00713**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2340

Analytical Testing Parameters

Client Sample ID:	**MS-19**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-35**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:03

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00233**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2341

Analytical Testing Parameters

Client Sample ID:	**MS-20**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-36**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:04

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2344

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	**MS-21**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-37**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:05

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2345

Analytical Testing Parameters

Client Sample ID:	**MS-22**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-38**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:06

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00258**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2345

Analytical Testing Parameters

Client Sample ID:	**MS-23**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-39**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:07

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2346

Analytical Testing Parameters

Client Sample ID:	**MS-24**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-40**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:08

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2347

Analytical Testing Parameters

Client Sample ID:	**MS-25**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-41**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:09

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2347

Analytical Testing Parameters

Client Sample ID:	**MS-26**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-42**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:10

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00202**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2348

Analytical Testing Parameters

Client Sample ID:	MS-27	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-43	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:11

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00588**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2348

Analytical Testing Parameters

Client Sample ID:	MS-28	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-44	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:12

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00487**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2349

Analytical Testing Parameters

Client Sample ID:	MS-29	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-45	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:13

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2351

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	**MS-30**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-46**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:14

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2353

Analytical Testing Parameters

Client Sample ID:	**MS-31**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-47**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00998**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2354

Analytical Testing Parameters

Client Sample ID:	**MS-32**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-48**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:16

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00592**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2354

Analytical Testing Parameters

Client Sample ID:	MS-33	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-49	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:17

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00634**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2355

Analytical Testing Parameters

Client Sample ID:	MS-34	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-50	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:18

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00277**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2356

Analytical Testing Parameters

Client Sample ID:	MS-35	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-51	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:19

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00353**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2356

Analytical Testing Parameters

Client Sample ID:	**MS-36**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-52**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:20

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00105**	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2357

Analytical Testing Parameters

Client Sample ID:	**MS-37**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-53**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:21

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/09/16 2359

Analytical Testing Parameters

Client Sample ID:	**MS-38**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-54**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:22

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00180**	0.0150	0.00100	mg/L		12/07/16 0800	12/10/16 0000

Analytical Testing Parameters

Client Sample ID:	**MS-39**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-55**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:23

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/10/16 0000

Analytical Testing Parameters

Client Sample ID:	**MS-40**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-56**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:24

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00191**	0.0150	0.00100	mg/L		12/07/16 0800	12/10/16 0002

Analytical Testing Parameters

Client Sample ID:	**MS-41**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-57**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:25

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00104**	0.0150	0.00100	mg/L		12/07/16 0800	12/10/16 0003

Analytical Testing Parameters

Client Sample ID:	MS-42	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-58	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:26

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00137**	0.0150	0.00100	mg/L		12/07/16 0800	12/10/16 0004

Analytical Testing Parameters

Client Sample ID:	MS-43	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-59	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:27

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00440**	0.0150	0.00100	mg/L		12/07/16 0800	12/10/16 0004

Analytical Testing Parameters

Client Sample ID:	MS-44	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-60	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:28

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/10/16 0005

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	**MS-45**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-61**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:29

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00341**	0.0150	0.00100	mg/L		12/07/16 0800	12/10/16 0007

Analytical Testing Parameters

Client Sample ID:	**MS-46**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-62**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/07/16 0800	12/13/16 1826

Analytical Testing Parameters

Client Sample ID:	**MS-47**	**Collected By:**	RJT-Client
Lab Sample ID:	**J6J0125-63**	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:31

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.259**	0.015	0.00500	mg/L	**G**	12/14/16 0919	12/15/16 1317

MICROBAC®

Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0125

Analytical Testing Parameters

Client Sample ID:	MS-48	**Collected By:**	RJT-Client
Lab Sample ID:	J6J0125-64	**Collection Date:**	09/28/16
Sample Type:	Grab	**Collection Time:**	06:32

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	**0.00873**	0.0150	0.00100	mg/L		12/07/16 0800	12/13/16 1827

Laboratory

NY: Microbac Laboratories, Inc., New York Division

Definitions

AL: Action Level
G: Result fails applicable NYS drinking water standards
RL: Reporting Limit
G: Result fails applicable NYS drinking water standards

Cooler Receipt Log

Cooler ID: Default Cooler Temp: ºC

Cooler Inspection Checklist

Custody Seals Intact and/or No Evidence of Tampering	Yes	Containers Intact	Yes
COC/Labels Agree	Yes	Preservation Correct (or not required)	Yes
Received on Ice (or not required)	Yes		

Project Requested Certification(s)

Microbac Laboratories, Inc. - Chicagoland

NY Lab ID No: 12006	New York State Department of Health
PA DEP ID: 68-04863	Pennsylvania Department of Environmental Protection

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

Reviewed and Approved By:

Andrew Canale
Project Manager
12/19/2016 18:14

Go Green: Contact Andrew Canale to set up email reporting and invoicing options.

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. For any feedback concerning our services, please contact Andrew Canale, Project Manager at andrew.canale@microbac.com. You may also contact Michael Fifield, Managing Director at michael.fifield@microbac.com or Robert Crookston, President at robert.crookston@microbac.com.

3821 Buck Drive
Cortland NY 13045
Phone:(607)753-3403 Fax:(607)753-3415
NY #10795, EPA #NY00935

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Client Information		Billing/Invoice:
Name:	ENVIRO TESTING (KMT,LLC)	Same
Address:	58 Exchange Street	
	Bighamton , NY 13901	
Contact:	Rick Tarnowski	Theresa Slodki
Phone:	(607) 770-9098	
Project:	Sidney Central School District	
Quote ID:		PO#: 429.04316
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:
Carbon Copy: Yes	Ctarnowski@kecompanies.com	
Email Results: Yes	Rtarnowski@kecompanies.com	
Fax Results: Yes	607-729-5154	

Analysis Requested

	Total Lead (EPA 200.8)								
Plastic									
250 ml									
HNO3									

Number of Containers for Analysis Requested

Receiving Info (Lab Use Only)		
Ice:	YES	NO
Cooler:	YES	NO
Sample Temp:		
Cooler Seal:	YES	NO
Pickup:	YES	NO
Dropoff:	C	W
Accepted?	YES	NO
Container Material		
Container Size(in Ml)		
Preservative		

Comments/Field Data

Sample Information

	Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Comments/Field Data
1	ES-08	9/28/2016	6:34	RJT	DW / Grab	1	
2	ES-09	9/28/2016	6:35	RJT	DW / Grab	1	
3	ES-10	9/28/2016	6:36	RJT	DW / Grab	1	
4	ES-11	9/28/2016	6:37	RJT	DW / Grab	1	
5	ES-12	9/28/2016	6:38	RJT	DW / Grab	1	
6	ES-13	9/28/2016	6:39	RJT	DW / Grab	1	
7	ES-14	9/28/2016	6:40	RJT	DW / Grab	1	
8	ES-15	9/28/2016	6:41	RJT	DW / Grab	1	

	Print Name and Company	Signature	Date/Time	Comments
Sampled:	R Tarnowski KES	[signature]	9-28-16 1300	
Received:	Bethany Robinson	[signature]	9-20-16 1401	1 of 9
Received:				
Received:				

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

J6J0125

3821 Buck Drive
Cortland NY 13045
Phone:(607)753-3403 Fax:(607)753-3415
NY #10795, EPA #NY00935

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Client Information		Billing/Invoice:
Name:	ENVIRO TESTING (KMT,LLC)	Same
Address:	58 Exchange Street	
	Bighamton , NY 13901	
Contact:	Rick Tarnowski	Theresa Slodki
Phone:	(607) 770-9098	
Project:	Sidney Central School District	
Quote ID:		PO#: 429.04316
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:
Carbon Copy: Yes	Ctarnowski@kecompanies.com	
Email Results: Yes	Rtarnowski@kecompanies.com	
Fax Results: Yes	607-729-5154	

Analysis Requested: Total Lead (EPA 200.8)

Receiving Info (Lab Use Only)		
Ice:	YES	NO
Cooler:	YES	NO
Sample Temp:		
Cooler Seal:	YES	NO
Pickup:	YES	NO
Dropoff:	C	W
Accepted?	YES	NO

Sample Information					Matrix	Plastic									Container Material
						250 ml									Container Size(in Ml)
						HNO3									Preservative
	Description/Location	Date	Time	Initial	Type	Number of Containers for Analysis Requested									Comments/Field Data
1	BS-16	9/28/2016	6:42	RJT	DW / Grab	1									
2	BS-17	9/28/2016	6:43	RJT	DW / Grab	1									
3	BS-18	9/28/2016	6:44	RJT	DW / Grab	1									
4	BS-19	9/28/2016	6:45	RJT	DW / Grab	1									
5	BS-20	9/28/2016	6:46	RJT	DW / Grab	1									
6	BS-21	9/28/2016	6:47	RJT	DW / Grab	1									
7	BS-22	9/28/2016	6:48	RJT	DW / Grab	1									
8	BS-23	9/28/2016	6:49	RJT	DW / Grab	1									

	Print Name and Company	Signature	Date/Time	Comments
Sampled:	R Tarnowski KES		9-28-16 1300	
Received:	Bethany Robinson		9-28-16 1401	2 of 9
Received:				
Received:				

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive
Cortland NY 13045
Phone:(607)753-3403 Fax:(607)753-3415
NY #10795, EPA #NY00935

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Client Information		Billing/Invoice:
Name:	ENVIRO TESTING (KMT,LLC)	Same
Address:	58 Exchange Street	
	Bighamton , NY 13901	
Contact:	Rick Tarnowski	Theresa Slodki
Phone:	(607) 770-9098	
Project:	Sidney Central School District	
Quote ID:		PO#: 429.04316
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date Req.:
Carbon Copy: Yes	Ctarnowski@kecompanies.com	
Email Results: Yes	Rtarnowski@kecompanies.com	
Fax Results: Yes	607-729-5154	

Analysis Requested

Total Lead (EPA 200.8)									
Plastic									
250 ml									
HNO3									

Receiving Info (Lab Use Only)		
Ice:	YES	NO
Cooler:	YES	NO
Sample Temp:		
Cooler Seal:	YES	NO
Pickup:	YES	NO
Dropoff:	C	W
Accepted?	YES	NO
Container Material		
Container Size(in Ml)		
Preservative		

Sample Information

	Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Comments/Field Data
1	BS-24	9/28/2016	6:50	RJT	DW / Grab	1	
2	BS-25	9/28/2016	6:51	RJT	DW / Grab	1	
3	BS-26	9/28/2016	6:52	RJT	DW / Grab	1	
4	BS-27	9/28/2016	6:53	RJT	DW / Grab	1	
5	BS-28	9/28/2016	6:54	RJT	DW / Grab	1	
6	BS-29	9/28/2016	6:55	RJT	DW / Grab	1	
7	BS-30	9/28/2016	6:56	RJT	DW / Grab	1	
8	BS-31	9/28/2016	6:57	RJT	DW / Grab	1	

	Print Name and Company	Signature	Date/Time	Comments
Sampled:	R Tarnowski KES	[signature]	9-28-16 1300	
Received:	Bethany Robinson	[signature]	9-28-16 1401	3 of 9
Received:				
Received:				

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive
Cortland NY 13045
Phone:(607)753-3403 Fax:(607)753-3415
NY #10795, EPA #NY00935

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Client Information		Billing/Invoice:
Name:	ENVIRO TESTING (KMT,LLC)	Same
Address:	58 Exchange Street	
	Bighamton , NY 13901	
Contact:	Rick Tarnowski	Theresa Slodki
Phone:	(607) 770-9098	
Project:	Sidney Central School District	
Quote ID:		PO#: 429.04316
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:
Carbon Copy: Yes	Ctarnowski@kecompanies.com	
Email Results: Yes	Rtarnowski@kecompanies.com	
Fax Results: Yes	607-729-5154	

Analysis Requested: Total Lead (EPA 200.8)

Receiving Info (Lab Use Only)		
Ice:	YES	NO
Cooler:	YES	NO
Sample Temp:		
Cooler Seal:	YES	NO
Pickup:	YES	NO
Dropoff:	C	W
Accepted?	YES	NO

Sample Information					Matrix	Total Lead (EPA 200.8)									Comments/Field Data
	Description/Location	Date	Time	Initial	Type	Number of Containers for Analysis Requested									
					Plastic										Container Material
					250 ml										Container Size(in Ml)
					HNO3										Preservative
1	BS-32	9/28/2016	6:58	RJT	DW / Grab	1									
2	BS-33	9/28/2016	6:59	RJT	DW / Grab	1									
3	BS-34	9/28/2016	7:00	RJT	DW / Grab	1									
4	BS-35	9/28/2016	7:01	RJT	DW / Grab	1									
5	BS-36	9/28/2016	7:02	RJT	DW / Grab	1									
6	BS-37	9/28/2016	7:03	RJT	DW / Grab	1									
7	BS-38	9/28/2016	7:04	RJT	DW / Grab	1									
8		9/28/2016		RJT	DW / Grab	1									

	Print Name and Company	Signature	Date/Time	Comments
Sampled:	R Tarnowski KES		9-28-16 1300	
Received:	Bethany Robinson		9-28-16 1400	4 of 9
Received:				
Received:				

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive
Cortland NY 13045
Phone:(607)753-3403 Fax:(607)753-3415
NY #10795, EPA #NY00935

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Client Information		Billing/Invoice:
Name:	ENVIRO TESTING (KMT,LLC)	Same
Address:	58 Exchange Street	
	Bighamton , NY 13901	
Contact:	Rick Tarnowski	Theresa Slodki
Phone:	(607) 770-9098	
Project:	Sidney Central School District	
Quote ID:		PO#: 429.04316
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:
Carbon Copy: Yes	Ctarnowski@kecompanies.com	
Email Results: Yes	Rtarnowski@kecompanies.com	
Fax Results: Yes	607-729-5154	

Analysis Requested: Total Lead (EPA 200.8)

Receiving Info (Lab Use Only)		
Ice:	YES	NO
Cooler:	YES	NO
Sample Temp:		
Cooler Seal:	YES	NO
Pickup:	YES	NO
Dropoff:	C	W
Accepted?	YES	NO

	Plastic	250 ml	HNO3
Container Material			
Container Size(in Ml)			
Preservative			

Sample Information

	Description/Location	Date	Time	Initial	Matrix Type	Total Lead (EPA 200.8)	Comments/Field Data
1	MS-16	9/28/2016	6:00	RJT	DW / Grab	1	
2	MS-17	9/28/2016	6:01	RJT	DW / Grab	1	
3	MS-18	9/28/2016	6:02	RJT	DW / Grab	1	
4	MS-19	9/28/2016	6:03	RJT	DW / Grab	1	
5	MS-20	9/28/2016	6:04	RJT	DW / Grab	1	
6	MS-21	9/28/2016	6:05	RJT	DW / Grab	1	
7	MS-22	9/28/2016	6:06	RJT	DW / Grab	1	
8	MS-23	9/28/2016	6:07	RJT	DW / Grab	1	

	Print Name and Company	Signature	Date/Time	Comments
Sampled:	R Tarnowski KES		9-28-16 1300	
Received:	Bethany Robinson		9-28-16 1401	5 of 9
Received:				
Received:				

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive
Cortland NY 13045
Phone:(607)753-3403 Fax:(607)753-3415
NY #10795, EPA #NY00935

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Client Information		Billing/Invoice:
Name:	ENVIRO TESTING (KMT,LLC)	Same
Address:	58 Exchange Street	
	Bighamton , NY 13901	
Contact:	Rick Tarnowski	Theresa Slodki
Phone:	(607) 770-9098	
Project:	Sidney Central School District	
Quote ID:		PO#: 429.04316
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:
Carbon Copy: Yes	Ctarnowski@kecompanies.com	
Email Results: Yes	Rtarnowski@kecompanies.com	
Fax Results: Yes	607-729-5154	

Analysis Requested

Total Lead (EPA 200.8)									
Plastic									
250 ml									
HNO3									

Number of Containers for Analysis Requested

Receiving Info (Lab Use Only)		
Ice:	YES	NO
Cooler:	YES	NO
Sample Temp:		
Cooler Seal:	YES	NO
Pickup:	YES	NO
Dropoff:	C	W
Accepted?	YES	NO
Container Material		
Container Size(in Ml)		
Preservative		

Comments/Field Data

Sample Information

	Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Comments/Field Data
1	MS-24	9/28/2016	6:08	RJT	DW / Grab	1	
2	MS-25	9/28/2016	6:09	RJT	DW / Grab	1	
3	MS-26	9/28/2016	6:10	RJT	DW / Grab	1	
4	MS-27	9/28/2016	6:11	RJT	DW / Grab	1	
5	MS-28	9/28/2016	6:12	RJT	DW / Grab	1	
6	MS-29	9/28/2016	6:13	RJT	DW / Grab	1	
7	MS-30	9/28/2016	6:14	RJT	DW / Grab	1	
8	MS-31	9/28/2016	6:15	RJT	DW / Grab	1	

	Print Name and Company	Signature	Date/Time	Comments
Sampled:	R Tarnowski KES	[signature]	9-28-16 1300	
Received:	Bethany Robinson MLL	[signature]	9-28-16 1401	6 of 9
Received:				
Received:				

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive
Cortland NY 13045
Phone:(607)753-3403 Fax:(607)753-3415
NY #10795, EPA #NY00935

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Client Information		Billing/Invoice:
Name:	ENVIRO TESTING (KMT,LLC)	Same
Address:	58 Exchange Street	
	Bighamton , NY 13901	
Contact:	Rick Tarnowski	Theresa Slodki
Phone:	(607) 770-9098	
Project:	Sidney Central School District	
Quote ID:		PO#: 429.04316
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:
Carbon Copy: Yes	Ctarnowski@kecompanies.com	
Email Results: Yes	Rtarnowski@kecompanies.com	
Fax Results: Yes	607-729-5154	

Analysis Requested

Total Lead (EPA 200.8)									
Plastic									
250 ml									
HNO3									

Number of Containers for Analysis Requested

Receiving Info (Lab Use Only)		
Ice:	YES	NO
Cooler:	YES	NO
Sample Temp:		
Cooler Seal:	YES	NO
Pickup:	YES	NO
Dropoff:	C	W
Accepted?	YES	NO
Container Material		
Container Size(in Ml)		
Preservative		

Comments/Field Data

Sample Information

	Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Comments/Field Data
1	MS-32	9/28/2016	6:16	RJT	DW / Grab	1	
2	MS-33	9/28/2016	6:17	RJT	DW / Grab	1	
3	MS-34	9/28/2016	6:18	RJT	DW / Grab	1	
4	MS-35	9/28/2016	6:19	RJT	DW / Grab	1	
5	MS-36	9/28/2016	6:20	RJT	DW / Grab	1	
6	MS-37	9/28/2016	6:21	RJT	DW / Grab	1	
7	MS-38	9/28/2016	6:22	RJT	DW / Grab	1	
8	MS-39	9/28/2016	6:23	RJT	DW / Grab	1	

	Print Name and Company	Signature	Date/Time	Comments
Sampled:	R Tarnowski KES	[signature]	9-28-16 1300	
Received:	Bethany Robinson MLI	[signature]	9-28-16 1401	7 of 9
Received:				
Received:				

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

3821 Buck Drive
Cortland NY 13045
Phone:(607)753-3403 Fax:(607)753-3415
NY #10795, EPA #NY00935

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Client Information		Billing/Invoice:
Name:	ENVIRO TESTING (KMT,LLC)	Same
Address:	58 Exchange Street	
	Bighamton , NY 13901	
Contact:	Rick Tarnowski	Theresa Slodki
Phone:	(607) 770-9098	
Project:	Sidney Central School District	
Quote ID:		PO#: 429.04316
Rush TAT Bus. Days:	<2 2-3 5-7 7-10	Date Req.:
Carbon Copy: Yes	Ctarnowski@kecompanies.com	
Email Results: Yes	Rtarnowski@kecompanies.com	
Fax Results: Yes	607-729-5154	

Receiving Info (Lab Use Only)		
Ice:	YES	NO
Cooler:	YES	NO
Sample Temp:		
Cooler Seal:	YES	NO
Pickup:	YES	NO
Dropoff:	C	W
Accepted?	YES	NO

Analysis Requested

	Total Lead (EPA 200.8)									
Plastic										Container Material
250 ml										Container Size(in Ml)
HNO3										Preservative

Sample Information

	Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Comments/Field Data
1	MS-40	9/28/2016	6:24	RJT	DW / Grab	1	
2	MS-41	9/28/2016	6:25	RJT	DW / Grab	1	
3	MS-42	9/28/2016	6:26	RJT	DW / Grab	1	
4	MS-43	9/28/2016	6:27	RJT	DW / Grab	1	
5	MS-44	9/28/2016	6:28	RJT	DW / Grab	1	
6	MS-45	9/28/2016	6:35	RJT	DW / Grab	1	
7	MS-46	9/28/2016	6:30	RJT	DW / Grab	1	
8	MS-47	9/28/2016	6:31	RJT	DW / Grab	1	

	Print Name and Company	Signature	Date/Time	Comments
Sampled:	R Tarnowski KES	[signature]	9-28-16 1500	
Received:	Bethany Robinson	[signature]	9-28-16 1400	8-59
Received:				
Received:				

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory.
By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

5821 Buck Drive
Cortland NY 13045
Phone:(607)753-3403 Fax:(607)753-3415
NY #10795, EPA #NY00935

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Client Information		Billing/Invoice:
Name:	ENVIRO TESTING (KMT,LLC)	Same
Address:	58 Exchange Street	
	Bighamton , NY 13901	
Contact:	Rick Tarnowski	Theresa Slodki
Phone:	(607) 770-9098	
Project:	Sidney Central School District	
Quote ID:		PO#: 429.04316
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:
Carbon Copy: Yes	Ctarnowski@kecompanies.com	
Email Results: Yes	Rtarnowski@kecompanies.com	
Fax Results: Yes	607-729-5154	

Analysis Requested									
Total Lead (EPA 200.8)									
Plastic									
250 ml									
HNO3									

Receiving Info (Lab Use Only)			
Ice:	YES	NO	
Cooler:	YES	NO	
Sample Temp:			
Cooler Seal:	YES	NO	
Pickup:	YES	NO	
Dropoff:	C	W	
Accepted?	YES	NO	
Container Material			
Container Size(in Ml)			
Preservative			

Sample Information					Matrix	Number of Containers for Analysis Requested									Comments/Field Data
	Description/Location	Date	Time	Initial	Type										
1	MS-48	9/28/2016	630	RJT	DW / Grab	1									
2		9/28/2016		RJT	DW / Grab	1									
3		9/28/2016		RJT	DW / Grab	1									
4		9/28/2016		RJT	DW / Grab	1									
5		9/28/2016		RJT	DW / Grab	1									
6		9/28/2016		RJT	DW / Grab	1									
7		9/28/2016		RJT	DW / Grab	1									
8		9/28/2016		RJT	DW / Grab	1									

	Print Name and Company	Signature	Date/Time	Comments
Sampled:	R Tarnowski KES		9-28-16 1300	
Received:	Bethany Robinson		9-28-16 1401	999
Received:				
Received:				

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory.
By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.